Immunol. Cell Biol. (1988) **66**, 435–437

AUTHOR INDEX

Ada, G. L., *see* Müllbacher, A.

Ahsan, C. R., Sanval, S. C., Zaman, A., Neogy, P. K. B., and Huq, M. I. Immunobiological relationships between *Vibrio fluvialis* and *Vibrio cholerae* enterotoxins (Brief Communication), 251.

Alders, R. G., Landsverk, T., and Shelton, J. N. Mg^{2+}-dependent adenosine triphosphatase: An enzyme marker for ovine T lymphocytes, 351.

Ashman, R. B., and Papadimitriou, J. M. Murine candidiasis: Strain dependence of host responses after immunization, 231.

Barclay, S., *see* Zola, H.

Basten, A., *see* Gibson, J.

Basten, A., *see* Rawlinson, W. D.

Blanden, R. V. *see* Kesson, A. M.

Booth, R. J. *see* Watson, J. D.

Boyd, A. W., and Fecondo, J. Role of the CD21 antigen in lymphocyte transformation by Epstein-Barr virus, 159.

Bradley, J., *see* Hohmann, A. W.

Bradley, J., *see* Zola, H.

Bradstock, K. F., Kerr, A., Grimsley, P., Kirk, J., and Luxford, C. Phenotypic characterization of immature lymphoid cells in human umbilical cord blood, 377.

Britton, W. J., *see* Rawlinson, W. D.

Burgess, G. W. *see* Hall, R. A.

Butler, R. N., Lawson, M. J., Goland, G. J., Jarrett, I. G., and Roberts-Thomson, I. C. Proliferative activity in the proximal and distal colon of the rat after fasting and refeeding, 193.

Cameron, K. J., *see* Turner, K. J.

Ceredig, R., *see* McCrae, C.

Chandrashekar, R., *see* Rajasekariah, G. R.

Charleston, W. A. G., *see* Gill, H. S.

Clunie, G. J. A., *see* Mottram, P. L.

Coleman, M., *see* Hohmann, A. W.

Comacchio, R. M., *see* Hohmann, A. W.

Cooper, P. D., and Steele, E. J. The adjuvanticity of gamma insulin, 335.

Cosgrove, L. J., Vaughan, H. A., Tjandra, J. J., Thurlow, P. J., and McKenzie, I. F. C. HLA (Class I) antigens on platelets are involved in platelet function, 69.

Cummins, A. G., Munro, G. H., Miller, H. R. P., and Ferguson, A. Association of maturation of the small intestine at weaning with mucosal mast cell activation in the rat, 407.

Cunningham, Z., *see* Pietersz, G. A.

Dharakul, T., *see* Uhnoo, I.

Dimitropoulos, K., Rolland, J. M., and Nairn, R. C. Analysis of early lymphocyte activation events by fluorescence polarization flow cytometry, 253.

Eszes, M., *see* Watson, J. D.

Fecondo, J., *see* Boyd, A. W.

Ferguson, A., *see* Cummins, A. G.

Fowler, K., *see* Georgiou, G.

Fujikura, Y., *see* Uchiyama, J.

Fukumoto, T., *see* Uchiyama, J.

Furness, V., *see* Zola, H.

Gallagher, P., *see* Shortman, K.

Ganguly, N. K., *see* Wangoo, A.

Georgiou, G., Roberton, D., Pereira, A., Scaletti, B., Kannourakis, G., Hosking, C., and Fowler, K. A human complement-fixing monoclonal anti-human lymphocyte antibody of rat origin, 33.

Gibson, J., and Basten, A. Maternal autoimmune disease influences self-tolerance in offspring: The role of suppressor cells and materno-foetal cell traffic (Special Invited Article), 85.

Gill, H. S., Charleston, W. A. G., and Moriarty, K. M. Cellular changes in the spleens of mice infected with *Sarcocystis muris*, 327.

Gill, H. S., Charleston, W. A. G., Moriarty, K. M. Immunosuppression in *Sarcocystis muris*-infected mice: Evidence for suppression of antibody and cell-mediated responses to a heterologous antigen, 209.

Gillis, S., *see* Watson, J. D.

Goding, J., *see* Quek, A.

Goland, G. J., *see* Butler, R. N.

Greer, J. M., and Halliday, W. J. Auto-anti-idiotypic antibodies in mice hyperimmunized with a chemically induced bladder carcinoma, 167.

Grimsley, P., *see* Bradstock, K. F.

Hall, R. A., Burgess, G. W. and Kay, B. H. Type-specific monoclonal antibodies produced to proteins of Murray Valley encephalitis virus, 51.

Halliday, W. J., *see* Harriott-Smith, T. G.

Halliday, W. J., *see* Greer, J. M.

Harriott-Smith, T. G., and Halliday, W. J. Production of suppressor factors induced by ultraviolet irradiation or *cis*-urocanic acid requires Lyt-2^+ lymphocytes, 313.

Hedberg, H., and Hunter, N. A monokine which binds to class II histocompatibility proteins, 277.

Hedberg, H., and Hunter, N. Augmentation of mitogen-induced thymocyte proliferation by bacterial products is mediated by an Mr 36 000 monokine, 289.

Herrera, G., *see* Mata, L.

Hogarth, P. M., *see* Parish, C. R.

Hohmann, A. W., Coleman, M., Comacchio, R. M., Skinner, J. M., and Bradley, J. Production of a polyspecific human monoclonal antibody reacting with an epidermal antigen, 239.

Holdsworth, S. R., *see* Tipping, P. G.

Hoogenraad, N., *see* Quek, A.

Hosking, C., *see* Georgiou, G.

Howard, R. J., *see* Saul, A.

Hunter N., *see* Hedberg, H.

Huq, M. I., *see* Ahsan, C. R.

Iscaro, A., Mackay, I. R., and O'Brien, C. Lymphopenic effects on mice of a component of ammonia caramel, 2-acetyl-4(5)-tetrahydroxybutylimidazole (THI), 385.

Jarrett, I. G., *see* Butler, R. N.

Kanellos, J., MacKenzie, I. F. C., and Pietersz, G. A. *In vivo* studies of whole ricin monoclonal antibody immunoconjugates for the treatment of murine tumours, 393.

Kannourakis, G., *see* Georgiou, G.

Kay, B. H., *see* Hall, R. A.
Kelly, K., Shortman, K., and Scollay, R. The surface phenotype of activated T lymphocytes, 297.
Kerlin, R. L., and Watson, D. L. Immunoglobulin isotype influences traffic of B lymphocytes through popliteal lymph nodes in sheep (Brief Communication), 79.
Kerr, A., *see* Bradstock, K. F.
Kesson, A. M., Blanden, R. V. and Müllbacher, A. The secondary *in vitro* murine cytotoxic T cell response to the flavivirus, West Nile, 23.
Kirk, J., *see* Bradstock, K. F.
Koshiro, A., *see* Uchiyama, J.
Kotlarski, I. To honour Professor Derrick Rowley, 83.
Krska, K. D., *see* Turner, K. J.
Kuniki, H., *see* Uchiyama, J.
Landsverk, T. Phagocytosis and transcytosis by the follicle-associated epithelium of the ileal Peyer's patch in calves, 261.
Landsverk, T., *see* Alders, R. G.
Lanser, J. A., *see* Lumb, R.
Lawson, M. J., *see* Butler, R. N.
Le Gros, G. S., *see* Watson, J. D.
Leung, E., *see* Watson, J. D.
Lissing, J. R., *see* Tuch, B. E.
Lumb, R., Lanser, J. A., and O'Donoghue, P. J. Electrophoretic and immunoblot analysis of *Cryptosporidium* oocysts, 359.
Luxford, C., *see* Bradstock, K. F.
Macardle, P. J., *see* Zola, H.
Mackay, I. R., *see* Iscaro, A.
MacKenzie, I. F. C., *see* Kanellos, J.
Maddocks, S., and Setchell, B. P. The rejection of thyroid allografts in the ovine testis, 1.
Mahajan, R. C., *see* Wangoo, A.
Maloy, W. L., *see* Saul, A.
Mata, L., and Herrera, G. AIDS and HIV infection in Costa Rica — a country in transition, 175.
Maxwell, L., *see* McCrae, C.
McCrae, C., Maxwell, L., and Ceredig, R. Intracellular pathway of interleukin-2 receptors studied using immunogold electron microscopy, 185.
McKenzie, I. F. C., *see* Cosgrove, L. J.
McKenzie, I. F. C., *see* Parish, C. R.
McKenzie, I. F. C., *see* Pietersz, G. A.
McKenzie, I. F. C., *see* Trapani, J. A.
Miller, H. R. P., *see* Cummins, A. G.
Mirisklavos, A., *see* Mottram, P. L.
Mitchell, G. F., *see* Moll, H.
Moll, H., Scollay, R., and Mitchell, G. F. Resistance to cutaneous leishmaniasis in nude mice injected with L3T4$^+$ T cells but not with Ly-2$^+$ T cells, 57.
Moriarty, K. M., *see* Gill, H. S.
Mottram, P. L., Mirisklavos, A., Clunie, G. J. A., and Noonan, F. P. A single dose of UV radiation suppresses delayed type hypersensitivity responses to alloantigens and prolongs heart allograft survival in mice, 377.
Mukherjee Puri, P., *see* Rajasekariah, G. R.
Müllbacher, A., Ada, G. L. and Tha Hla, R. Gamma-irradiated influenza A virus can prime for a cross-reactive and cross-protective immune response against influenza A viruses (Special Invited Article), 153.
Müllbacher, A., *see* Kesson, A. M.
Munro, G. H., *see* Cummins, A. G.
Nairn, R. C., *see* Dimitropoulos, K.
Nelson, D. S., *see* Nelson, M.
Nelson, M., and Nelson, D. S. Inhibition of cell-mediated immunity by tumour cell products: Depression of interleukin-2 production and responses to interleukin-2 by mouse spleen cells (Special Invited Article), 97.
Neogy, P. K. B., *see* Ahsan, C. R.
Neoh, S. H., *see* Zola, H.
Noonan, F. P., *see* Mottram, P. L.
Nossal, G. J. V. Somatic mutations in B lymphocytes: New perspectives in tolerance research? (Special Invited Article), 105.
O'Brien, C., *see* Iscaro, A.
O'Donoghue, P. J., *see* Lumb, R.
Ogra, P. L., *see* Uhnoo, I.
Overell, R. A., *see* Watson, J. D.
Papadimitriou, J. M., *see* Ashman, R. B.
Parish, C. R., Hogarth, P. M., McKenzie, I. F. C. Evidence that Thy-1 and Ly-5 (T-200) antigens interact with sulphated carbohydrates, 221.
Pearse, M., *see* Shortman, K.
Pereira, A., *see* Georgiou, G.
Pietersz, G. A., *see* Kanellos, J.
Pietersz, G. A., Cunningham, Z., McKenzie, I. F. C. Specific *in vitro* anti-tumour activity of methotrexate-monoclonal antibody conjugates prepared using human serum albumin as an intermediary, 43.
Prestidge, R. L., *see* Watson, J. D.
Quek, A., Goding, J., and Hoogenraad, N. Membrane proteins stimulated by interferon-alpha in growth-inhibited, but not in resistant, Daudi cells, 343.
Rajasekariah, G. R., Mukherjee Puri, P., Chandrashekar, R., and Subrahmanyam, D. Clearance of *Brugia pahangi* microfilariae in immunized mice, 321.
Rawlinson, W. D., Basten, A., Britton, W. J., and Serjeantson, S. W. Leprosy and immunity: genetics and immune function in multiple case families, 9.
Riepenhoff-Talty, M., *see* Uhnoo, I.
Roberton D., *see* Georgiou, G.
Roberts-Thomson, I. C., *see* Butler, R. N.
Rock, E. P., *see* Saul, A.
Rolland, J. M., *see* Dimitropoulos, K.
Sanyal, S. C. *see* Ahsan, C. R.
Saul, A., Maloy, W. L., Rock, E. P., and Howard, R. J. A portion of the Pf155/RESA antigen of *Plasmodium falciparum* is accessible on the surface of infected erythrocytes, 269.
Scaletti, B., *see* Georgiou, G.
Schrader, J. W. Interleukins: From purified proteins to chains, circles, cascades and other complexities (Special Invited Article), 111.
Scollay, R., *see* Kelly, K.
Scollay, R., *see* Moll, H.
Scollay, R., *see* Shortman, K.
Serjeantson, S. W., *see* Rawlinson, W. D.
Setchell, B. P., *see* Maddocks, S.
Shelton, J. N., *see* Alders, R. G.
Shortman, K., *see* Kelly, K.
Shortman, K., Wilson, A., Pearse, M., Gallagher, P., and Scollay, R. Mouse strain differences in subset distribution and T cell antigen receptor expression among CD4$^-$CD8$^-$ thymocytes, 413.
Siemensma, N. P., *see* Turner, K. J.
Skinner, J. M., *see* Hohmann, A. W.
Steele, E. J., *see* Cooper, P. D.
Subrahmanyam, D., *see* Rajasekariah, G. R.
Suranyi, M. G., *see* Tuch, B. E.
Tait, B. D., *see* Trapani, J. A.
Tha Hla, R., *see* Müllbacher, A.
Thurlow, P. J., *see* Cosgrove, L. J.
Tipping, P. G., and Holdsworth, S. R. Isolation and characterization of glomerular macrophages in experimental glomerulonephritis, 147.
Tjandra, J. J., *see* Cosgrove, L. J.
Trapani, J. A., Vaughan, H. A., Tait, B. D., and McKenzie, I. F. C. Immunoradiometric assay for the rapid detection of HLA-B27, 215.

Tuch, B. E., Lissing, J. R. and Suranyi, M. G. Immunomodulation of human fetal cells by the fungal metabolite gliotoxin, 307.
Turner, K. J., Siemensma, N. P., Krska, K. D., and Cameron, K. J. *In vitro* synthesis of IgE by human peripheral blood leucocytes: VI. Seasonal variations in synthesis of rye pollen (*Lolium perenne*) specific IgE (Special Invited Article), 123.
Uchiyama, J., Fujikura, Y., Kuniki, H., Fukumoto, T., and Koshiro, A. Production of monoclonal antibodies against surface antigenic determinants of *Klebsiella pneumoniae* (Brief Communication), 247.
Uhnoo, I., Dharakul, T., Riepenhoff-Talty, M., and Ogra, P. L. Immunological aspects of interaction between rotavirus and the intestine in infancy (Special Invited Article), 135.
Vaughan, H. A., *see* Cosgrove, L. J.
Vaughan, H. A., *see* Trapani, J. A.
Wangoo, A., Ganguly, N. K. and Mahajan, R. C. Presence and characterization of lymphocytotoxins in acute and chronic *Plasmodium berghei* malaria, 65.
Watson, D. L., *see* Kerlin, R. L.
Watson, J. D., Leung, E., Eszes, M., Le Gros, G. S., Prestidge, R. L., Booth, R. J., Overell, R. A., and Gillis, S. Expression of functional human interkeukin-2 receptors in murine interleukin-3-dependent cells, 319.
Wilson, A., *see* Shortman, K.
Zaman, A., *see* Ahsan, C. R.
Zola, H., Barclay, S., Furness, V., Macardle, P. J., Neoh, S. H., and Bradley, J. B lymphocyte/carcinoma antigen (BLCa): Functional study in B cells, 199.

Immunol. Cell Biol. (1988) **66**, 439–442

SUBJECT INDEX

Activated T lymphocytes: surface phenotype of (Kelly, Shortman and Scollay), 297.

Adjuvanticity of gamma inulin (Cooper and Steele), 345.

AIDS and HIV infection in Costa Rica, a country in transition (Mata and Herrera), 175.

Alloantigen, delayed-type hypersensitivity responses to: suppressed by single dose UV irradiation (Mottram, Mirisklavos, Clunie and Noonan), 367.

Allograft survival in mice: prolonged by single dose UV irradition (Mottram, Mirisklavos, Clunie and Noonan), 367.

Ammonia caramel, 2-acetyl-4(5)-tetrahydroxybutylimidazole (THI): lymphopenic effects on mice of a component of (Iscaro, Mackay and O'Brien), 395.

Anti-human lymphocyte monoclonal antibody, human complement-fixing, of rat origin (Georgiou, Roberton, Pereira, Scaletti, Kannourakis, Hosking and Fowler), 33.

Anti-tumour activity, specific *in vitro*: of methotrexate–monoclonal antibody conjugates prepared using human serum albumin as an intermediary (Pietersz, Cunningham and McKenzie), 43.

Antibodies, auto-anti-idiotypic, in mice hyperimmunized with a chemically-induced bladder carcinoma (Greer and Halliday), 167.

Antibody and cell-mediated immunity, suppression of, in *Sarcocystis muris*-infected mice (Gill, Charleston and Moriarty), 209.

Antibody conjugates, methotrexate-monoclonal, prepared using human serum albumin as an intermediary: specific *in vitro* anti-tumour activity of (Pietersz, Cunningham and McKenzie), 43.

Antibody, human monoclonal, polyspecific, reacting with an epidermal antigen: production of (Hohmann, Coleman, Comacchio, Skinner and Bradley), 239

Antibody immunoconjugates, monoclonal antibody–whole ricin, for treatment of murine tumours: *in vivo* studies (Kanellos, McKenzie and Pietersz), 403.

Antibody, monoclonal, against surface antigenic determinants of *Klebsiella pneumoniae*: production of (Uchiyama, Fujikura, Huniki, Fukumoto and Koshiro), 247.

Antibody, monoclonal, anti-human lymphocyte, human complement-fixing, of rat origin (Georgiou, Roberton, Pereira, Scaletti, Kannourakis, Hosking and Fowler), 33.

Antibody, monoclonal, type-specific, produced to proteins of Murray Valley encephalitis virus (Hall, Burgess and Kay), 51. (*Corrections printed p. 252)*

Antigen, B lymphocyte/carcinoma (BLCa): functional study in B cells (Zola, Barclay, Furness, Macardle, Neoh and Bradley), 199.

Antigen, CD21, role in lymphocyte transformation by Epstein-Barr virus (Boyd and Fecondo), 159.

Antigen, epidermal: production of a polyspecific human monoclonal antibody reacting with an (Hohmann, Coleman, Comacchio, Skinner and Bradley), 239.

Antigen, heterologous, in *Sarcocystis muris*-infected mice: evidence for suppression of antibody and cell-mediated immunity to a (Gill, Charleston and Moriarty), 209.

Antigen, HLA-B27: immunoradiometric assay for the rapid detection of (Trapani, Vaughan, Tait and McKenzie), 215.

Antigen, Ly-5 (T-200) and Thy-1: evidence of interaction with sulphated carbohydrates (Parish, Hogarth and McKenzie), 221.

Antigen, Pf155/RESA, of *Plasmodium falciparum*, a portion of, is accessible on the surface of infected erythrocytes (Saul, Maloy, Rock and Howard), 269.

Antigen receptor expression in T cells and subset distribution among $CD4^-CD8^-$ thymocytes: mouse strain differences in (Shortman, Wilson, Pearse, Gallagher and Scollay), 423.

Antigenic determinants of *Klebsiella pneumoniae*, surface: production of monoclonal antibodies against (Uchiyama, Fujikura, Huniki, Fukumoto and Koshiro), 247.

Antigens, HLA (Class I), on platelets: involvement in platelet function (Cosgrove, Vaughan, Tjandra, Thurlow and McKenzie), 69.

Assay, immunoradiometric, for the rapid detection of HLA-B27 antigen (Trapani, Vaughan, Tait and McKenzie), 215.

Auto-anti-idiotypic antibodies in mice hyperimmunized with a chemically-induced bladder carcinoma (Greer and Halliday), 167.

Autoimmune disease, maternal, influences self-tolerance in offspring: role of suppressor cells and materno–foetal cell traffic (Gibson and Basten), 85.

B cell traffic through popliteal lymph nodes in sheep: influence of immunoglogulin isotype on (Kerlin and Watson), 79.

B lymphocyte/carcinoma antigen (BLCa): functional study in B cells (Zola, Barclay, Furness, Macardle, Neoh and Bradley), 199.

B lymphocytes, somatic mutations in: new perspectives in tolerance research? (Nossal), 105.

Bacterial products, mitogen-induced thymocyte proliferation by: augmentation is mediated by an Mr 36 000 monokine (Hedburg and Hunter), 289.

Brugia pahangi microfilariae in immunized mice: clearance of (Rajasekariah, Mukherjee Puri, Chandrashekar and Subrahmanyam), 331.

Candidiasis, murine: strain dependence of host responses after immunization (Ashman and Papadimitriou), 231.

Carcinoma, bladder, chemically-induced: auto-anti-idiotypic antibodies in mice hyperimmunized with a (Greer and Halliday). 167.

CD21 antigen: role in lymphocyte transformation by Epstein-Barr virus (Boyd and Fecondo), 159.

Cell-mediated and antibody mediated immunity, suppression of, in *Sarcocystis muris*-infected mice (Gill, Charleston and Moriarty), 209.

Cell-mediated immunity, inhibition by tumour cell products: depression of interleukin-2 production and responses to interleukin-2 by mouse spleen cells (Nelson and Nelson), 97.

Cellular changes in the spleens of mice infected with *Sarcocystis muris* (Gill, Charleston and Moriarty), 337.

cis-uranocanic acid or UV irradiation, suppressor factors induced by: production requires $Lyt\text{-}2^+$ lymphocytes (Harriott-Smith and Halliday), 313.

Class II histocompatibility proteins: a monokine that binds to (Hedberg and Hunter), 277.
Colon, proliferative activity in the proximal and distal, after fasting and refeeding in the rat (Butler, Lawson, Goland, Jarrett and Roberts-Thomson), 193.
Conjugate, methotrexate-monoclonal antibody, prepared using human serum albumin as an intermediary: specific *in vitro* anti-tumour activity (Pietersz, Cunningham and McKenzie), 43.
Cord blood, human umbilical: phenotypic characterization of immature lymphoid cells in (Bradstock, Kerr, Grimsley, Kirk and Luxford), 387.
Cryptosporidium oocysts: electrophoretic and immunoblot analysis of (Lumb, Lanser and O'Donoghue), 369.
Cutaneous leishmaniasis, resistance to: in nude mice injected with $L3T4^+$ T cells but not $Ly\text{-}2^+$ T cells (Moll, Scollay and Mitchell), 57.
Cytotoxic T cell response, secondary *in vitro*, murine: to flavivirus, West Nile (Kesson, Blanden and Müllbacher), 23.
Daudi cells: membrane proteins are stimulated by interferon-alpha in growth-inhibited but not in resistant (Quek, Goding and Hoogenraad), 353.
Delayed-type hypersensitivity responses to alloantigens suppressed by single dose UV irradiation (Mottram, Mirisklavos, Clunie and Noonan), 377.
Electron microscopy, immunogold, to study intracellular pathways of interleukin-2 receptors (McCrae, Maxwell and Ceredig), 185.
Electrophoretic and immunoblot analysis of *Cryptosporidium* oocysts (Lumb, Lanser and O'Donoghue), 369.
Enterotoxins, *Vibrio fluvialis* and *Vibrio cholerae*: immunobiological relationships between (Ahsan, Sanyal, Zaman, Neogy and Huq), 251.
Enzyme marker, Mg^{2+}-dependent adenosine triphosphatase. A marker for ovine T lymphocytes (Alders, Landsverk and Shelton), 361.
Epstein-Barr virus: role of CD21 antigen in lymphocyte transformation by (Boyd and Fecondo), 159.
Erythrocytes, infected: a portion of the Pf1155/RESA antigen of *Plasmodium falciparum* is accessible on the surface of (Saul, Maloy, Rock and Howard), 269.
Fetal cells, human: immunomodulation by the fungal metabolite gliotoxin (Tuch, Lissing and Suranyi), 307.
Flavivirus, West Nile: secondary *in vitro* murine cytotoxic T cell response to (Kesson, Blanden and Müllbacher), 23.
Fluorescence flow cytometry analysis of early lymphocyte activation events (Dimitropoulos, Rolland and Nairn), 253.
Functional human interleukin-2 receptors in murine interleukin-3-dependent cells: expression of (Watson, Leung, Eszes, Le Gros, Prestidge, Booth, Overell and Gillis), 319.
Fungal metabolite, gliotoxin: immunomodulation of human fetal cells by (Tuch, Lissing and Suranyi), 307.
Gamma inulin: adjuvanticity of (Cooper and Steele), 345.
Genetics and immune function in multiple case families of leprosy patients (Rawlinson, Basten, Britton and Serjeantson), 9.
Gliotoxin, fungal metabolite: immunomodulation of human fetal cells by (Tuch, Lissing and Suranyi), 307.
Glomerulonephritis, experimental, glomerular macrophages in: isolation and characterization of (Tipping and Holdsworth), 147.
HIV and AIDS infection in Costa Rica, a country in transition (Mata and Herrera), 175.
HLA (Class I) antigens on platelets: involvement in platelet function (Cosgrove, Vaughan, Tjandra, Thurlow and McKenzie), 69.
HLA-B27 antigen: immunoradiometric assay for the rapid detection of (Trapani, Vaughan, Tait and McKenzie), 215.
Human fetal cells: immunomodulation by the fungal metabolite gliotoxin (Tuch, Lissing and Suranyi), 307.
IgE synthesis *in vitro* by human peripheral blood leucocytes: seasonal variations in synthesis of rye pollen (*Lolium perenne*) specific IgE (Turner, Siemensma, Krska and Cameron), 123.
Immune response, cross-reactive and cross-protective to influenza A virus: gamma-irradiated influenza A virus can prime for (Müllbacher, Ada and Tha Hla), 153.
Immunity and leprosy: genetics and immune function in multiple case families (Rawlinson, Basten, Britton and Serjeantson), 9.
Immunization, murine candidiasis: strain dependence of host responses after (Ashman and Papadimitriou), 231.
Immunized mice, *Brugia pahangi* microfiliarae in: clearance of (Rajasekariah, Mukherjee Puri, Chandrashekar and Subrahmanyam), 331.
Immunobiological relationships between *Vibrio fluvialis* and *Vibrio cholerae* enterotoxins (Ahsan, Sanyal, Zaman, Neogy and Huq), 251.
Immunoblot and electrophoretic analysis of *Cryptosporidium* oocysts (Lumb, Lanser and O'Donoghue), 369.
Immunoconjugates, whole ricin–monoclonal antibody, for treatment of murine tumours: *in vivo* studies (Kanellos, McKenzie and Pietersz), 403.
Immunoglobulin isotype: influence on traffic of B lymphocytes through popliteal lymph nodes in sheep (Kerlin and Watson), 79.
Immunogold electron microscopy to study intracellular pathways of interleukin-2 receptors (McCrae, Maxwell and Ceredig), 185.
Immunological aspects of interaction between rotavirus and the intestine in infancy (Uhnoo, Dharakul, Riepenhoff-Talty and Ogra), 135.
Immunoradiometric assay for the rapid detection of HLA-B27 antigen (Trapani, Vaughan, Tait and McKenzie), 215.
Immunosuppression in *Sarcocystis muris*-infected mice: evidence for suppression of antibody and cell-mediated responses to a heterologous antigen (Gill, Charleston and Moriarty), 209.
Influenza A virus, gamma-irradiated: prime for a cross-reactive and cross-protective immune response against influenza A virus (Müllbacher, Ada and Tha Hla), 153.
Interaction between rotavirus and the intestine in infancy; immunological aspects of (Uhnoo, Dharakul, Riepenhoff-Talty and Ogra), 135.
Interferon-alpha stimulates membrane proteins in growth-inhibited but not in resistant Daudi cells (Quek, Goding and Hoogenraad), 353.
Interleukin-2 production and responses to, by mouse spleen cells: inhibition of cell-mediated immunity by tumour cell products (Nelson and Nelson), 97.
Interleukin-2 receptors, functional human, in murine interleukin-3-dependent cells: expression of (Watson, Leung, Eszes, Le Gros, Prestidge, Booth, Overell and Gillis), 319.
Interleukin-2 receptors: intracellular pathways studied using immunogold electron microscopy (McCrae, Maxwell and Ceredig), 185.
Interleukin-3-dependent cells, murine: expression of functional human interleukin-2 receptors in (Watson, Leung, Eszes, Le Gros, Prestidge, Booth, Overell and Gillis), 319.

Interleukins: from purified proteins to chains, circles, cascades and other complexities (Schrader), 111.
Irradiation, UV, a single dose: suppresses delayed-type hypersensitivity responses to alloantigens and prolongs heart allograft survival in mice (Mottram, Mirisklavos, Clunie and Noonan), 377.
Irradiation, UV, or *cis*-uranocanic acid, suppressor factors induced by: production requires Lyt-2$^+$ lymphocytes (Harriott-Smith and Halliday), 313.
Isotype, immunoglobulin: influence on traffic of B lymphocytes through popliteal lymph nodes in sheep (Kerlin and Watson), 79.
Klebsiella pneumoniae: production of monoclonal antibodies against surface antigenic determinants of (Uchiyama, Fujikura, Huniki, Fukumoto and Koshiro), 247.
Leprosy and immunity: genetics and immune function in multiple case families (Rawlinson, Basten, Britton and Serjeantson), 9.
Ly-5 (T-200) and Thy-1 antigens: evidence of interaction with sulphated carbohydrates (Parish, Hogarth and McKenzie), 221.
Lymphocyte activation events, early: analysis by fluorescence flow cytometry (Dimitropoulos, Rolland and Nairn), 253.
Lymphocyte transformation, by Epstein-Barr virus: role of CD21 antigen in (Boyd and Fecondo), 159.
Lymphocytes, Lyt-2$^+$, requires for production of suppressor factors induced by UV irradiation or *cis*-uranocanic acid (Harriott-Smith and Halliday), 313.
Lymphocytotoxins in acute and chronic *Plasmodium berghei* malaria: presence and characterization of (Wangoo, Ganguly and Mahajan), 65.
Lymphoid cells, immature, in human umbilical cord blood: phenotypic characterization of (Bradstock, Kerr, Grimsley, Kirk and Luxford), 387.
Lymphopenic effects on mice of a component of ammonia caramel, 2-acetyl-4(5)-tetrahydroxybutylimidazole (THI) (Iscaro, Mackay and O'Brien), 395.
Lyt-2$^+$ lymphocytes, required for production of suppressor factors induced by UV irradiation or *cis*-uranocanic acid (Harriott-Smith and Halliday), 313.
Macrophages, glomerular, in experimental glomerulonephritis: isolation and characterization of (Tipping and Holdsworth), 147.
Malaria, acute and chronic, *Plasmodium berghei:* presence and characterization of lymphocytotoxins in (Wangoo, Ganguly and Mahajan), 65.
Mast cell activation, mucosal, in the rat: association with maturation of the small intestine at weaning (Cummins, Munro, Miller and Ferguson), 417.
Maternal autoimmune disease influences self-tolerance in offspring: role of suppressor cells and materno–foetal cell traffic (Gibson and Basten), 85.
Membrane proteins: stimulated by interferon-alpha in growth-inhibited but not in resistant Daudi cells (Quek, Goding and Hoogenraad), 353.
Metabolite, fungal, gliotoxin: immunomodulation of human fetal cells by (Tuch, Lissing and Suranyi), 307.
Methotrexate-monoclonal antibody conjugates prepared using human serum albumin as an intermediary: anti-tumour activity of (Pietersz, Cunningham and McKenzie), 43.
Mg^{2+}-dependent adenosine triphosphatase: an enzyme marker for ovine T lymphocytes (Alders, Landsverk and Shelton), 361.
Microfiliariae, *Brugia pahangi*, in immunized mice: clearance of (Rajasekariah, Mukherjee Puri, Chandrashekar and Subrahmanyam), 331.
Mitogen-induced thymocyte proliferation by bacterial products, augmentation of: is mediated by an Mr 36 000 monokine (Hedberg and Hunter), 289.
Monoclonal antibodies against surface antigenic determinants of *Klebsiella pneumoniae:* production of (Uchiyama, Fujikura, Huniki, Fukumoto and Koshiro), 247.
Monoclonal antibodies, type-specific, produced to proteins of Murray Valley encephalitis virus (Hall, Burgess and Kay), 51. (*Corrections printed p. 252*)
Monoclonal antibody, human polyspecific, reacting with an epidermal antigen: production of (Hohmann, Coleman, Comacchio, Skinner and Bradley), 239.
Monoclonal antibody-whole ricin immunoconjugates for treatment of murine tumours: *in vivo* studies (Kanellos, McKenzie and Pietersz), 403.
Monoclonal anti-human lymphocyte antibody, human complement-fixing, of rat origin (Georgiou, Roberton, Pereira, Scaletti, Kannourakis, Hosking and Fowler), 33.
Monokine, binds to Class II histocompatibility proteins (Hedberg and Hunter), 277.
Monokine, Mr 36 000, mediates augmentation of mitogen-induced thymocyte proliferation by bacterial products (Hedberg and Hunter), 289.
Mucosal mast cell activation in the rat: association with maturation of the small intestine at weaning (Cummins, Munro, Miller and Ferguson), 417.
Murine candidiasis: strain dependence of host responses after immunization (Ashman and Papadimitriou), 231.
Murray Valley encephalitis virus, proteins of: type-specific monoclonal antibodies produced to (Hall, Burgess and Kay), 51. (*Corrections printed p. 252*)
Mutations, somatic, in B lymphocytes: new perspectives in tolerance research? (Nossal), 105.
Peyer's patch, ileal: phagocytosis and transcytosis by the follicle-associated epithelium of (Landsverk), 261.
Pf155/RESA antigen of *Plasmodium falciparum*, a portion of, is accessible on the surface of infected erythrocytes (Saul, Maloy, Rock and Howard), 269.
Phagocytosis and transcytosis by the follicle-associated epithelium of the ileal Peyer's patch in calves (Landsverk), 261.
Phenotype, surface, of activated T lymphocytes (Kelly, Shortman and Scollay), 297.
Phenotypic characterization of immature lymphoid cells in human umbilical cord blood (Bradstock, Kerr, Grimsley, Kirk and Luxford), 387.
Plasmodium berghei malaria, acute and chronic: presence and characterization of lymphocytotoxins in (Wangoo, Ganguly and Mahajan), 65.
Plasmodium falciparum, a portion of the Pf155/RESA antigen of: is accessible on the surface of infected erythrocytes (Saul, Maloy, Rock and Howard), 269.
Platelets: involvement of HLA (Class I) antigens on platelet function (Cosgrove, Vaughan, Tjandra, Thurlow and McKenzie), 69.
Polyspecific human monoclonal antibody reacting with an epidermal antigen: production of (Hohmann, Coleman, Comacchio, Skinner and Bradley), 239.
Proliferative activity in the proximal and distal colon of the rat after fasting and refeeding (Butler, Lawson, Goland, Jarrett and Roberts-Thomson), 193.
Proteins, Class II histocompatibility: a monokine that binds to (Hedberg and Hunter), 277.
Proteins, membrane, stimulated by interferon-alpha in growth-inhibited but not in resistant Daudi cells (Quek, Goding and Hoogenraad), 353.
Receptor, T cell antigen, and subset distribution among $CD4^-CD8^-$ thymocytes: mouse strain differences in (Shortman, Wilson, Pearse, Gallagher and Scollay), 423.
Receptors, interleukin-2: intracellular pathways studied

using immunogold electron microscopy (McCrae, Maxwell and Ceredig), 185.
Rotavirus and the intestine in infancy, interaction between: immunological aspects of (Uhnoo, Dharakul, Riepenhoff-Talty and Ogra), 135.
Sarcocystis muris: cellular changes in the spleens of mice infected with (Gill, Charleston and Moriarty), 337.
Sarcocystis muris-infected mice: evidence for suppression of antibody and cell-mediated responses to a heterologous antigen (Gill, Charleston and Moriarty), 209.
Self-tolerance, in offspring, influenced by maternal autoimmune disease: role of suppressor cells and maternofoetal cell traffic (Gibson and Basten), 85.
Subset distribution and T cell antigen receptor expression among $CD4^-CD8^-$ thymocytes: mouse strain differences in (Shortman, Wilson, Pearse, Gallagher and Scollay), 423.
Sulphated carbohydrates: evidence of interaction with Ly-5 (T-200) and Thy-1 antigens (Parish, Hogarth and McKenzie), 221.
Suppressor factors induced by UV irradiation or *cis*-uranocanic acid: production requires $Lyt\text{-}2^+$ lymphocytes (Harriott-Smith and Halliday), 313.
T cell antigen receptor expression and subset distribution among $CD4^-CD8^-$ thymocytes: mouse strain differences in (Shortman, Wilson, Pearse, Gallagher and Scollay), 423.
T cells: resistance to cutaneous leishmaniasis in nude mice injected with $L3T4^+$ but not $Ly\text{-}2^+$ (Moll, Scollay and Mitchell), 57.
T lymphocytes, activated: surface phenotype of (Kelly, Shortman and Scollay), 297.
T lymphocytes, ovine: Mg^{2+}-dependent adenosine triphosphatase, an enzyme marker for (Alders, Landsverk and Shelton), 361.
Thy-1 and Ly-5 (T-200) antigens: evidence of interaction with sulphated carbohydrates (Parish, Hogarth and McKenzie), 221.
Thymocyte, mitogen-induced proliferation by bacterial products: augmentation is mediated by an Mr 36 000 monkine (Hedberg and Hunter), 289.
Thymocytes, $CD4^-CD8^-$: mouse strain differences in subset distribution and T cell antigen receptor expression among (Shortman, Wilson, Pearse, Gallagher and Scollay), 423.
Thyroid allografts in the ovine testis: rejection of (Maddocks and Setchell), 1
Transcytosis and phagocytosis by the follicle-associated epithelium of the ileal Peyer's patch in calves (Landsverk), 261.
Tumour cell products inhibit cell-mediated immunity: depression of interleukin-2 production and responses to interleukin-2 by mouse spleen cells (Nelson and Nelson), 97.
Tumours, murine, treated by whole ricin-monoclonal antibody immunoconjugates: *in vivo* studies (Kanellos, McKenzie and Pietersz), 403.
Type-specific monoclonal antibodies produced to proteins of Murray Valley encephalitis virus (Hall, Burgess and Kay), 51. (*Corrections printed p. 252*)
Ultraviolet irradiation, a single dose: suppresses delayed-type hypersensitivity responses to alloantigens and prolongs heart allograft survival in mice (Mottram, Mirisklavos, Clunie and Noonan), 377.
Ultraviolet irradiation or *cis*-uranocanic acid, suppressor factors induced by: production requires $Lyt\text{-}2^+$ lymphocytes (Harriott-Smith and Halliday), 313.
Vibrio fluvialis and *Vibrio cholerae* enterotoxins: immunobiological relationships between (Ahsan, Sanyal, Zaman, Neogy and Huq), 251.
Whole ricin-monoclonal antibody immunoconjugates for treatment of murine tumours: *in vivo* studies (Kanellos, McKenzie and Pietersz), 403.